

बिहार राज्य भवन निर्माण निगम, लि० पटना
 (बिहार सरकारका उपक्रम)

दर आमंत्रण हेतु कोटेशन आमंत्रण सूचना सं०-60/2018-19

भवन निर्माण विभाग के निबंधित संवेदकों/ख्याति प्राप्त फर्मों/कंपनियों से दिनांक: 10.09.2018 के अपराह्न 3:00 बजे तक निर्देशानुसार निम्नलिखित कार्यों के लिए मुहरबंद कोटेशन उप महाप्रबंधक, पी०आई०यू०, पटना/महाप्रबंधक (उत्तर/दक्षिण)/मुख्य महाप्रबंधक, बिहार राज्य भवन निर्माण निगम लि०, पटना के कार्यालय में प्राप्त किया जाएगा और उसी दिन 3:30 बजे अपराह्न में कोटेशनदाताओं या उनके द्वारा अधिकृत प्रतिनिधियों के समक्ष खोला जायेगा।

कार्य का विवरण:-

क्रम सं०	योजना का नाम	कार्य की विवरणी	ईकाई	उद्धृत दर
1	2	3	4	5
Furniture Work				
1	Provisions of Chamber of Minister, room for official Person, court yard beatification & furniture of Dashrath Manjhi Institute of Labour and Employment Studies Patna	Providing and fitting Executive table Bobble Peninsular size 2400X1000X750, side Crdenza 1050x480x750 and back unit are to be provided in 40 thick prelaminated particle board sealed with PVC edge lapping one sides 18mm thk PLPB modesty on matching of table colour modesty and prelamgable end made in combination of 30mm mm thick. provided as a support to main table etc. complete as per direction of Engineer in charge	Each	
		Table Size- (1400L x 700D x 770H)mm. Table made of 35mm thk pre lam particle board with edge banding. Executive desk straight line table with one wire manager, fixed pedestal with 3 drawers with central lock fixed CPU cabinet with shutter. Our PLPB certified from ISI grade & Termite, Borer & Fungus resistance laminated outside in selected color & inside (Non Visible Part) will be balancing white. 100% European design & texture & 100% Product Consistency, fade resistance lamination best International Technology.	Each	
2		Providing and fixing hih back chair Leoma Seat size = 51.0cm.width x 52.5cm.Depth.The polyurethane foam for seat is moulded with density=65±5kg/m ³ .4 position locking with anti-shock feature. The pneumatic height adjustment has an adjustment of 9.0±0.3cm.Pedestal is made of Die cast Aluminium fitted with 5 nos.	Each	
3		Providing and fixing chair Height adjustable back Height adjustable arms Seat depth adjustment Active bio-synchro mechanism Model High back Width 76.1 CM Depth76.1 CM Height112.7 - 130.2 CM Seat Height 43.1 - 53.1 CM	Each	
4		Providing Mid Back Chair-for recreation room (Back Height-495xBack Width-470)mm & (Seat Depth-485xSeat Width-475)mm with Min-Max Height (510-570)mm. Nylon base chair with push back mechanism & Fix handle. Back & seat cover cushion chair upholstered in fabric & adjustable armrest locks any position. Syncro mechanism with locking system and five star Nylon base with nylon casters. Seat & Back made up of 14mm thick boiling water proof plywood os ISI303. Chair rotates a full 360 degree in either direction for ease of motion. Standard on every executive with task chair & controls rate and ease with which chair reclines to different weight and strengths of users. Quick and easy adjustment regulated height of chair relative to floor. Back reclines at A 2-to-1 ratio to the seat. 5% post consumed recycled content & 30% total recycled content.	Each	

5	Providing and fixing visitor chair The seat is made up of 1.2 +/-0.1cm thick hot pressed plywood measured as per QA method described in OCP-QLTA-P14-18 and upholstered with fabric or synthetic leather and moulded Polyurethane Foam. The back is made up 1.2 +/-0.1 cm thick hot pressed plywood upholstered with replaceable fabric or synthetic leather upholstery covers and moulded polyurethane foam. The back ply and foam is designed with contoured lumber support for comfortable seating posture. PCH-9P01TC HIGH BACK SIZE 48cm. (W) X76.0cm. (H)	Each	
6	Providing and fixing 3 seater sofa The rubber wood fascia and contoured armrest gives a deeper definition and adds elegance to the sofa. Made of synthetic leather upholstery and it saves space.	Each	
7	Providing and fixing 1 seated sofa Dimensions: H 28.8 x W 36.2 x D 34.3; Seating Height-18.5 (all dimensions in inches) Weight: 27 KG Primary Material Leatherette H 28.8" W 36.2" D 34.3" Seating Height 18.5"	Each	
8	Providing and fixing centre table Width: 1200 mm, Depth: 600 mm, Height: 378 mm, MDF top with rubber wood understructure Lacquered in cappuccino shade Tapered legs Load bearing capacity :25 Kg	Each	
9	Providing and fitting corner table Depth: 450 mm DF top with rubber wood Under structure Height: 458 mm Lacquered in cappuccino shade Load bearing capacity :15 Kg Tapered legs Width: 530 mm	Each	
10	Providing and fixing work station Spacio Tile Based System with thickness of 50 mm and 25 mm fins on return. SIMPLE module has has main structure of combination of frames with height 4'0" feet and widths varying from 3.0 foot to 5 feet. The frame comprises of 2 vertical uprights, a top horizontal tube and a bottom tube with legs as a welded structure. Spacio frame has Vertical upright made from 1.5mm thick CRCA M.S. Grade D formed into "C" channel of 28.4 X 40. The top & Bottom horizontal is a 1.2 mm thick M.S. tube of 25.4 X 25.4 mm (1 X 1 inch). The frame has legs of 81 mm ht at bottom which takes M8 Glides for levelling of the panel. The frame is powder coated in standard black colour. The pitch for mounting the brackets on the upright is 25.4 mm. The rectangular slot for wires on the upright is 60mm (H) x 18 mm (W), 1 no. at the bottom and 2 nos. at the intermediate level wherein each slot can allow 9 power cables of Dia.10 or 32 data cables of Dia. 6. The panel is completely open at bottom to pull wires and once in the panel, the wires can be laid flat at bottom and can be taken through the gap between bottom tube and the	Each	
11	Providing and fixing chair. The seat and back are made up of 1.2±0.1cm.thick hot pressed plywood measured as pere QA method described in OCP-QLTA-P14-18 and upholstered with fabric upholstery covers and moulded Polyurethane foam. Bravo visitor size - 47.5cm.(W) x 58.0cm (H), Bravo MID BACK SIZE : 47.5 cm(W)x58.0cm(H)The HR polyurethane foam is moulded with density =45±2kg/2kg/m3 and hardness load 16±2kg as per IS:7888 for 25% compression. The one-piece armrests are injection moulded from black co-polymer polypropylene. The Powder coated tubular frame is cantilever type & made of 2.54±0.03.x 0.02±0.016cm.thk.MS.ERW.Tube	Each	
12	Storage Cabinet- 3 Door Back Storage- Size (1200x400x1200)mm, Storage top made of 25mm thk and side of 15mm thk Prelamin particle board. Storage with openable shutter with 2 shelves and lock. Storge top & shutter color will be maple and storage side & skirting color will be Dark gray. Phenol bond using in Pre-Laminated Particle Board & Edge band thickness will be start from 2mm for Top & 1mm for rest parts. Our PLPB certified from ISI grade & Termite, Borer & Fungus resistance laminated outside in selected	Each	

		color & inside (Non Visible Part) will be balancing white. 100% European design & texture & 100% Product Consistency, fade resistance lamination best International Technology. The Product Should be Certified Company BIFMA, ISO-50001, Green Guard, AGSI, FSC & PEFC. Color-Maple & Dark Gray.		
13		Providing and fixing mid back fix chair BACK SIZE: 49.0cm. (W) x 7.0cm. (H) , SEAT SIZE: 49.0cm. (W) x 44.0cm. (D) The seat and back are made up of 1.2 cm thick hot pressed plywood, upholstered with fabric and moulded Polyurethane foam with PVC lapping all around. The back foam is designed with on toured lumbar support for extra comfort. The chair is available in four models.	Each	
14		Providing & Supplying of study table as per approved drawing Image Size :- 900x600x750 mm	Each	
15		Low Back Study Chair Size (Back Height-430xBack Width-450)mm & (Seat Depth-450xSeat Width-460)mm with Min-Max Height (410-510)mm. Nylon base chair with push back mechanism & Fix handle. Seat & Back made up of 14mm thick boiling water proof plywood os ISI303. Chair rotates a full 360 degree in either direction for ease of motion. Standard on every executive with task chair & controls rate and ease with which chair reclines to different weight and strengths of users. Quick and easy adjustment regulated height of chair relative to floor. Back reclines at A 2-to-1 ratio to the seat. 5% post consumed recycled content & 30% total recycled content. Color-Black	Each	
16		Single Bed - Size(L)2000mm X (W)960mm X (H)820mm. Clean minimal design made of straight lines coupled with durable engineered wood is the basis for its looks. A central supporting frame adds sturdiness and also separates the space below equally incase you wish to stove away anything underneath. Spruce up your bedroom with this fine bed for a snug sleep. The Product should be PEFC, FSC, BIFMA, Green Guard, AGSI Certified & ISO 14001 Certified. Color- Wenge.	Each	
17		4 Person Table - Size:1350Lx750Wx750Ht. 25mm thk. Prelam Particle board tabletop with PVC edge banding. Tabletop supported with Powder coated "C" shape metal legs of size 50mm x 50mm and connectors of size 50mm x 50mm. Phenol bond using in Pre-Laminated Particle Board & Edge band thickness will be start from 2mm for Top & 1mm for rest parts. Our PLPB certified from ISI grade & Termite, Borer & Fungus resistance laminated outside in selected color & inside (Non Visible Part) will be balancing white. 100% European design & texture & 100% Product Consistency, fade resistance lamination best International Technology. Color- Wenge. The Product Should be Certified Company BIFMA, ISO-50001, Green Guard, AGSI, FSC & PEFC.	Each	
18		Mid Back Chair-for recreation room (Back Height-495xBack Width-470)mm & (Seat Depth-485xSeat Width-475)mm with Min-Max Height (510-570)mm. Nylon base chair with push back mechanism & Fix handle. Back & seat cover cushion chair upholstered in fabric & adjustable armrest locks any position. Syncro mechanism with locking system and five star Nylon base with nylon casters. Seat & Back made up of 14mm thick boiling water proof plywood os ISI303. Chair rotates a full 360 degree in either direction for ease of motion. Standard on every executive with task chair & controls rate and ease with which chair reclines to different weight and strengths of users-Quick and easy adjustment regulated height of chair relative to floor. Back reclines at A 2-to-1 ratio to the seat. 5% post consumed recycled content & 30% total recycled content. The Product Should be Certified Company BIFMA, ISO-50001, Green Guard, AGSI, FSC & PEFC. Color-Black	Each	
19		15 Person Conference Table - U shape Table Top Size (5250x1800x750)mm. . Conference table & extendable in length &	Each	

		width. The extendable meeting adds a sense of character to conference rooms. The innovation modular design enables various configuration. An all wood conference table with minimalist look and basic functionality, ideal for meeting room & top comes with 25mm thick pre lam particle board & side panel 18mm thick prelam particle board & 2mm pvc edge banding with modesty given much needed primary and close interaction. Phenol bond using in Pre-Laminated Particle Board & Edge band thickness will be start from 2mm for Top & 1mm for rest parts. PLPB certified from ISI grade & Termite, Borer & Fungus resistance laminated outside in selected color & inside (Non Visible Part) will be balancing white. 100% European design & texture & 100% Product Consistency, fade resistance lamination best International Technology. Color- Wenge. The Product Should be Certified Company BIFMA,ISO-50001,Green Guard, AGSI, FSC & PEFC.		
		Conference room	Each	
20		6 Person Meeting Table - Table Size Size:2100Lx900Wx750Ht. 25mm thk. Prelam Particle board tabletop with PVC edge banding. Tabletop supported with Powder coated "C" shape metal legs of size 50mm x 50mm and connectors of size 50mm x 50mm. Phenol bond using in Pre-Laminated Particle Board & Edge band thickness will be start from 2mm for Top & 1mm for rest parts. Our PLPB certified from ISI grade & Termite, Borer & Fungus resistance laminated outside in selected color & inside (Non Visible Part) will be balancing white. 100% European design & texture & 100% Product Consistency, fade resistance lamination best International Technology. Color- Wenge. The Product Should be Certified Company BIFMA,ISO-50001,Green Guard, AGSI, FSC & PEFC.		
21		Supplying and fitting Show case cabinet size 2100x1500x450mm	Each	
22		Providing and fixing side table	Each	
23		Providing and fixing chair Seat/Back- The seat and back are made up of injection moulded high impact strength polypropylene polymer compound with indoor grade UV resistance. Seat Size: 52.5cm (W) x 53.2 cm (D), Back Size: 51.6cm (W) x 40.5 cm	Each	
24		Supplying and fitting cabinet for book storage Feature: Glass door provides visibility & safety Materials: Mild Steel and Glass Locking: Store well: 3 point locking Uniformly Disturbed Load: 80 kgs Other Info: For display of trophies, awards	Each	

- यह कोटेशन दर निर्धारण के लिए आमंत्रित किया गया है।
- विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्यावधि में सम्पर्क करें।

विशेष शर्तें:-

1. कोटेशनदाताओं को अपना दर अंक एवं अक्षरों में उद्धृत करना है।
2. दर सभी प्रकार के करों को लेकर अंकित किया जायेगा।
3. दर कार्यस्थल पर समानों की दुलाई को लेकर किया जाएगा, उन्हें किसी प्रकार का अतिरिक्त दुलाई दर देय नहीं होगा।
4. कोटेशन के साथ अद्यतन आयकर एवं GST प्रमाण-पत्र देना होगा।
5. विशेष सूचना के लिए सूचनापट्टा या वेबसाईट www.brdbihar.gov.in एवं www.bsbcccl.bih.nic.in देखें या अधोहस्ताक्षरी से सम्पर्क करें।

ज्ञापांक:- 2500

दिनांक: 20.8.18

प्रतिलिपि:- निदेशक, सूचना एवं जन-सम्पर्क विभाग, बिहार, पटना को e-advertisement के माध्यम से दैनिक समाचार पत्रों में प्रकाशनार्थ समर्पित

ह0/-
मुख्य महाप्रबंधक,
बिहार राज्य भवन निर्माण निगम लि0, पटना।

मुख्य महाप्रबंधक,
बिहार राज्य भवन निर्माण निगम लि0, पटना।

61