

बिहार राज्य भवन निर्माण निगम, लि० पटना
 (बिहार सरकार का उपक्रम)

दर आमंत्रण हेतु कोटेशन आमंत्रण सूचना सं०-66/2018-19

भवन निर्माण विभाग के निबंधित संवेदकों/ख्याति प्राप्त फर्मों/कंपनियों से दिनांक: 10.09.2018 के अपराह्न 3:00 बजे तक निर्देशानुसार निम्नलिखित कार्यों के लिए मुहरबंद कोटेशन उप महाप्रबंधक, पी०आई०यू०, पटना/महाप्रबंधक (उत्तर/दक्षिण)/मुख्य महाप्रबंधक, बिहार राज्य भवन निर्माण निगम लि०, पटना के कार्यालय में प्राप्त किया जाएगा और उसी दिन 3:30 बजे अपराह्न में कोटेशनदाताओं या उनके द्वारा अधिकृत प्रतिनिधियों के समक्ष खोला जायेगा।

कार्य का विवरण:-

क्रम सं०	योजना का नाम	कार्य की विवरणी	ईकाई	उद्भूत दर
1	2	3	4	5
Furniture work				
1	विभिन्न जिलान्तर्गत 720 क्षमता वाले अनुसूचित जनजाति आवासीय विद्यालय के निर्माण कार्य में फर्नीचर की आपूर्ति एवं अधिष्ठापन से संबंधित कार्य	Principal/wadern's Chamber Table Size: Executive Desk Size - 1800mm (W) x 900mm (D) x 750mm (H) Side Unit - 1800mm (W) x 600mm (D) x 675mm (H) Combination of metal and wood reflects dynamism. Sleek floating top gives aesthetic and trendy look. Open rectangular section legs with small modesty gives the table trendy, airy open look. The Product should be BIFMA, ISO-9001, ISO-14001, OHSAS18001, IGBC, FIRA Certified. As Per direction given by E/I.	each	
2		Meeting Table 10 persons Size : 2.40 m x 1.05m x 750mm Providing & making meeting table of given size made of 35mm thick block board with 1.0mm thick laminate at top and 1-1/2" TW beading on all the sides with proper niche in between beading and laminate edge 25mm thick round laminated pedestal and wooden frame work 75 x 62mm T.W bracket as top support including polishing of wooden frame work and melamine finish all complete as per drawings. The Product should be BIFMA, ISO-9001, ISO-14001, OHSAS18001, IGBC, FIRA Certified. As Per direction given by E/I.	each	
3		Class room Desk Class room desk - 2 seater with pedestal storage unit (for Class room) & sitting Desk (size : 1050 x 450 x 750 (H)) Supply, Fabrication & Installation of class room table top 19 mm thick prelaminate board with 2mm PVC edge banding, supported on MS square Hollow section (size : 40 mm x 40 mm) frame complete with wire manager at table top all fitting & accessories as per drawing. The Product should be BIFMA, ISO-9001, ISO-14001, OHSAS18001, IGBC, FIRA Certified. As Per direction given by E/I.	each	
4		Principal / Wadern's Chamber Chair Seat/Back Assembly: The seat is made up of 1.2 ± 0.1cm thick hot pressed plywood measured as per QA method described in OCP-QLTA- P14-18 and upholstered with fabric moulded Polyurethane Foam. The back is made up of 1.2 ± 0.1cm hot pressed plywood upholstered with fabric moulded polyurethane foam. The back ply and foam is designed with contoured lumber support for comfortable seating posture. Mid Back Size - 48cm (W) x 64.5cm (H). Seat Size - 51cm (W) x 48cm (D) Armrest (Adjustable): The armrest top is made up of moulded polyurethane (P.U) and mounted on a drop lift height adjustable type M.S. tubular armrest support chrome plated. The armrest height is adjustable up to 6.5 ± 0.5cm in 5 steps & also has swivel adjustment of 22° ± 2° on both sides. Knee Tilt Synchro Mechanism with Seat Depth Adjustment Mechanism: The mechanism is designed with the following features - 360° revolving type, Single point control, Front pivot for tilt with feet resting on ground ensuring more comfort, Tilt tension adjustment, 4-position locking with anti-shock feature, Seat back tilting ratio of 1:2 & Seat depth adjustment of 6.0 ± 0.5cm can be locked in 6 positions.	each	
5		Steel Multiflex system for Library S/F ct site Godrej steel Multiflex system of size 7' x 36" x 18" with 7 nos. shelves of galvanised steel sheet with M.S steel angle frame of size 40x40x8 mm. Complete with supplying and fixing at site with including painting etc. The Product should be BIFMA, ISO-9001, ISO-14001, OHSAS18001, IGBC, FIRA Certified. As Per direction given by E/I.	each	
6		Class room/ Teacher table with Chair Table for class room/office (size : 1200 x 900 x 750) Supply, Fabrication & Installation of table made of Powder coated MS frame with 18mm thick prelaminate board top complete in all respect with wire manager lockable drawers etc. all complete as per drawing. The Product should be BIFMA, ISO-9001, ISO-14001, OHSAS18001, IGBC, FIRA Certified. As Per direction given by E/I.	each	
7		White Board Providing and fixing in position magnetic white board (Good Quality) on walls including teak wood edge moulding. Complete with all necessary hardware, polish etc as per direction of E/I Size : 8' x 4'. As Per direction given by E/I.	each	
8		3 seator / Chrome chair 3 sector chair (Chrome) Made of Cushion with high density cold cured self -skinned pre -molded foam of 50-60 density the shape of plywood. Upholstery is done by using high-pressure pneumatic spray glue and pneumatic press over crome base & legs etc. The Product should be BIFMA, ISO-9001, ISO-14001, OHSAS18001, IGBC, FIRA Certified. As Per direction given by E/I.	each	
9		Computer Table in Computer Lab Computer Table - (size : 900 x 600 x 905 mm) computer Lab Supply and installation of Prelaminated particle board of wood finish on both side and top on hard wood frame with drawer, Cabinet and wire manager complete with all necessary hardware and as	each	

	per drawing design. The Product should be BIFMA, ISO-9001, ISO-14001, OHSAS18001, IGBC, FIRA Certified. As Per direction given by E/I.		
10	Computer Chair Computer Chair : Supply and installation of Telemate medium back chair with single point lock tilting mechanism castor and latherlite sheet over PU foam sheet complete on chrome base. The Product should be BIFMA, ISO-9001, ISO-14001, OHSAS18001, IGBC, FIRA Certified. As Per direction given by E/I.	each	
11	Bed Dimension : 2000 x 900 x 650 mm (H) Structure is made up of 40 mm dia CRC tube with thickness 18 gauge. Horizontal base is made from steel sheet the thickness 14 gauge. Horizontal base will be stiffened with appropriate longitudinal 3 v shape sheet and lateral stiffeners 2 steel pipes with powder coating. Manufactured out of ISO 9001, ISO14001 and OHSAS 18001 certified Plant and product certified for BIFMA performance test. (Size : 2000 x 900 x 650 mm (H))	each	
12	Mattress 2" thick (size 75" x 36") Supplying and fixing of Mattress (size : 75"x36" x 2" thick) at site. The Product should be green guard, ISO 9001 certified. As Per direction given by E/I.	each	
13	Study Table & Chair Dimension : DESK - 600 W x 480 D x 750 H SEAT - 868 H x 500 W x S 450 Finish/Coating : Powder Coating Material : MILD STEEL TUBULAR SECTION OVAL Tube 35 x 15 SQ. Tube 25x25 and PLB & Moulded wood Total Weight : 23Kg Available Base Frame : Knock down Features : > SEMI KNOCKDOWN > 11 TANK HOT ZINC PHOSPHATING PRE TREATMENT PROCESS > Powder Coated The Product should be BIFMA, ISO-9001, ISO-14001, OHSAS18001, IGBC, FIRA Certified. As Per direction given by E/I.	each	
14	Common room office / Office table Table for common room (Size : 1200 x 750 x 760) Supply, Fabrication & Installation of Dining table made of Wood veneer / Powder coated MS frame with 12mm thick glass top complete in all respect. as per drawing. The Product should be BIFMA, ISO-9001, ISO-14001, OHSAS18001, IGBC, FIRA Certified. As Per direction given by E/I.	each	
15	Dining Table Work Surface: 25mm Thick (±1mm) Base Material - 25mm MDF Board on top PU painting of Minium 2H hardness with 75% glass as per color chart, combination color graphics on the centre. Color as per color chart. Brown laminate on bottom. Specially profiled edge for comfort. Understructure: Bend pipe understructure of MS. Powder Coated. Pipe dia. 38mm, 2mm thk. Understructure fitted with top by SS machine screws. Legs: MS Powder coated legs for PU top & SS legs for membrane top. 38mm dia pipe legs are fixed with understructure and table top. Glide: Plastic Glide fixed at the understructure to prevent the damage of table top during stacking. Size: Ground Base - 2450mm (L) x 1175mm (W). Surface Top - 2400.8mm (L) x 1050.4mm (W) & Height - 750mm (H). The Product should be BIFMA, ISO-9001, ISO-14001, OHSAS18001, IGBC, FIRA Certified. As Per direction given by E/I.	each	
16	Dining Chair Seat/Back: Seat & Back are injection moulded in PP. They are snap fitted on the understructure assembly and fixed with self-taping screws Approx. Back Size : 37.0cm (W) x 25.5cm (H) Approx. Seat Size : 40.5cm (W) x 40.5cm (D) Understructure Assembly: The understructure assembly is a welded frame assy. with the upper frame made of dia. Ø 1.9±0.02cm x 0.2±0.016 thk. and legs made of Ø 1.9±0.02cm x 0.16±0.0128cm thk. M.S. E.R.W tubes and black powder coated (DFT 40-60 microns). The Product should be BIFMA, ISO-9001, ISO-14001, OHSAS18001, IGBC, FIRA Certified. As Per direction given by E/I.	each	
17	Common Room chair Size : Depth (D) - 57.0 cm Width (W) - 58.0 cm Height (H) - 88.0 cm Seat Height (SH) - 47.5 cm The seat & Back are made up of Cushion covered with rexine. Behind all this is a robust tubular framework that makes the chairs durable. The Product should be BIFMA, ISO-9001, ISO-14001, OHSAS18001, IGBC, FIRA Certified. As Per direction given by E/I.	each	

- यह कोटेशन दर निर्धारण के लिए आमंत्रित किया गया है।
- विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्यावधि में सम्पर्क करें।

विशेष शर्तें:-

1. कोटेशनदाताओं को अपना दर अंक एवं अक्षरों में उद्धृत करना है।
2. दर सभी प्रकार के करों को लेकर अंकित किया जायेगा।
3. दर कार्यस्थल पर समानों की दुलाई को लेकर किया जाएगा, उन्हें किसी प्रकार का अतिरिक्त दुलाई दर देय नहीं होगा।
4. कोटेशन के साथ अद्यतन आयकर एवं GST प्रमाण-पत्र देना होगा।
5. विशेष सूचना के लिए सूचनापट्टा या वेबसाइट www.brdbihar.gov.in एवं www.bsbcccl.bih.nic.in देखें या अधोहस्ताक्षरी से सम्पर्क करें।

ह0/-

मुख्य महाप्रबंधक,
बिहार राज्य भवन निर्माण निगम लि0, पटना।

ज्ञापांक:-

दिनांक:

प्रतिलिपि:- निदेशक, सूचना एवं जन-सम्पर्क विभाग, बिहार, पटना को e-advertisement के माध्यम से दैनिक समाचार पत्रों में प्रकाशनार्थ समर्पित।

ह0/-

मुख्य महाप्रबंधक,
बिहार राज्य भवन निर्माण निगम लि0, पटना।

संख्यांक:-

2566

दिनांक:

24.8.18

विलिपि:- आईटीओ मैनेजर, बिहार राज्य भवन निर्माण निगम लि०, पटना को सूचनार्थ एवं निगम के वेबसाईट पर अपलोड करने हेतु प्रेषित।

मुख्य महाप्रबंधक,

बिहार राज्य भवन निर्माण निगम लि०, पटना।